



iRION



Caulking Applicators

Half Pipe Caulking Applicator HS80

Art.No.: 558089

- Hardened ratchet teeth push rod
- Built-in nozzle cutter

For cartridges 310ml/10.5 fl oz
Color: Grey



Half Pipe Caulking Applicator HS60

Art.No.: 900964

HS65

Art.No.: 900965

- Hardened push rod
- Hardened ratchet teeth push rod

For cartridges 310ml/10.5 fl oz
Color: Blue



Skeleton Caulking Applicator HS84-S

Art.No.: 901084

- Hexagonal push rod
- Ladder hook
- Spout cleaner

For cartridges 310ml/10.5 fl oz
Color: Red




Half Pipe Caulking Applicator HPS44

Art.No.: 571159

- Low weight synthetic tool
- Metal thrust block
- Rotary carriage
- Comfort grip handle

For cartridges 310ml/10.5 fl oz
Color: Red/Black




Half Pipe Caulking Applicator HPS56

Art.No.: 571156

- Rotary carriage
- Ladder hook
- Anatomically shaped trigger

For cartridges 310ml/10.5 fl oz
Color: Red/Black



Aluminium Barrel Applicator HPS400-A

Art.No.: 901106

- Rotary barrel
- Strong catch plate
- Stable aluminium screw caps

For cartridges 310ml/10.5 fl oz, sausages 400ml/11.6 fl oz
Color: Silver/Black





Aluminium Barrel Applicator HPS600-A


Art.No.: 901052

- Rotary barrel
- Strong catch plate
- Stable aluminium screw caps

For cartridges 310ml/10.5 fl oz, sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz
Color: Silver/Black



Accessories and Spare Parts




Tube Nozzle Art.No.: 90048

- Solid nozzle for application of sausage material
- For types HPS400-A/HPS600-A
Color: White

Aluminum Barrel Cap Art.No.: 600033

- Sturdy screw caps made of aluminium
- For types HPS400-A/HPS600-A
Color: Black



Push Plate Regular Art.No.: 90079

- Push plate made of plastic
- For types HPS400-A/HPS600-A
Color: White




Caulking Applicators | X7-Series

Skeleton Caulking Applicator X7

Art.No.: 901088

- Hexagonal push rod
- Dripless function
- Ladder hook
- Built-in puncture tool
- Trigger ratio 7:1

For cartridges 310ml/10.5 fl oz
Color: Black






Aluminium Barrel Applicator X7-400

Art.No.: 571162

- Rotary barrel
- Rubber coated handle and trigger
- Nylon screw caps
- Trigger ratio 14:1

For cartridges 310ml/10.5 fl oz, sausages 400ml/11.6 fl oz
Color: Silver/Black



Half Pipe Caulking Applicator X7-310

Art.No.: 571161

- Rotary carriage
- Rubber coated handle and trigger
- Strong catch plate
- Ladder hook
- Trigger ratio 14:1

Für Kartuschen 310ml/10.5 fl oz
Farbe: Black / Red



Aluminium Barrel Applicator X7-600 Art.No.: 571163

- Rotary barrel
- Rubber coated handle and trigger
- Nylon screw caps
- Trigger ratio 14:1

For cartridges 310ml/10.5 fl oz,
sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz
Color: Silver/Black



| FX7-Series


- New blackened parts produced without environmental pollution
- Corrosion protection • Professional Grade Quality

Half Pipe Caulking Applicator FX7-90

Art.No.: 571164

- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Multiple-strength thrust block (resistance 6000N)
- Double slide bearings for smooth-running function
- For high viscosity dispensing material
- Trigger ratio 17:1

For cartridges 310ml/10.5 fl oz
Color: Black/Turquoise



Aluminium Barrel Applicator FX7-40

Art.No.: 571165

- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Multiple-strength thrust block (resistance 6000N)
- Double slide bearings for smooth-running function
- Push plate optimized for complete emptying
- For high viscosity dispensing material
- Trigger ratio 17:1

For cartridges 310ml/10.5 fl oz,
sausages 400ml/11.6 fl oz
Color: Silver/Black/Turquoise

Aluminium Barrel Applicator FX7-60

Art.No.: 571166

- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Multiple-strength thrust block (resistance 6000N)
- Double slide bearings for smooth-running function
- Push plate optimized for complete emptying
- For high viscosity dispensing material
- Trigger ratio 17:1

For cartridges 310ml/10.5 fl oz,
sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz
Color: Silver/Black/Turquoise



Half Pipe Caulking Applicator eXcePt-310

Art.No.: 200001

- For heavy-duty-applications
- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Anticorrosive performance
- Built-in nozzle cutter
- Adjustable non-drip function
- Eminently suitable for tough material
- Trigger ratio 19:1

For cartridges 310ml/10.5 fl oz
Color: Black/Orange



Aluminium Barrel Applicator eXcePt-400

Art.No.: 200002

- For heavy-duty-applications
- Rotary barrel and ladder hook
- Rubber-coated handle and trigger
- Anticorrosive performance
- Built-in nozzle cutter
- Adjustable non-drip function
- Eminently suitable for tough material
- Trigger ratio 19:1

For cartridges 310ml/10.5 fl oz,
sausages 400ml/11.6 fl oz
Color: Black/Orange



Aluminium Barrel Applicator eXcePt-600

Art.No.: 200003

- For heavy-duty-applications
- Rotary barrel and ladder hook
- Rubber-coated handle and trigger
- Anticorrosive performance
- Built-in nozzle cutter
- Adjustable non-drip function
- Eminently suitable for tough material
- Trigger ratio 19:1

For cartridges 310ml/10.5 fl oz,
sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz
Color: Black/Orange



Pro Caulking Applicator XP-DELTA

Art.No.: 200004

- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Anticorrosive performance
- Activatable non-drip function
- **DELTA catch plate** – extremely tough and durable
- **NEW** – switchable trigger ratios: 25:1 and 12:1

For cartridges 310ml/10.5 fl oz
Color: Black/Orange



Accessories / Spare Parts for X7-, FX7-, eXcePt-Series



Screw Cap Nylon

Art.No.: 600034

- Screw cap made of Nylon

For X7-Series
Color: Black



Screw Cap Pro

Art.No.: 600032 (front)
Art.No.: 600035 (back)

- Screw cap made of Aluminium

For FX7-, eXcePt-Series barrel type
Color: Black



Push Plate X7

Art.No.: 901089

- Synthetic push plate

For X7-Series
Color: Red



Tube Nozzle Pro

Art.No.: 90059

- Nozzle with wide margin
- Tight fixing in cap
- For improved sausage performance

For X7-, FX7-, eXcePt- and Powerjet Gun-Series
Color: White

Joint Scraper Saddle

Art.No.: 90064

- Holder made of flexible synthetic
- Including two scrapers

For FX7-Series



Joint Scraper Quartet

Art.No.: 90037

- Made of flexible synthetic
- For square or round joints
- Easy handling

4-piece-set in transparent box



Push Plate Pro

Art.No.: 90082

- Two-piece synthetic push plate with piston
- For complete emptying of sausages

For FX7- and eXcePt-Series barrel type
Color: Black

Service Care Spray Z2000

Art.No.: 600000

- Eliminates Squeaking Sounds
- Protects and preserves tools
- Removes all kinds of dirt
- Dissolves rust

400ml/11.6 fl oz Spray can



Special Caulking Applicators

- New blackened parts produced without environmental pollution
- Corrosion protection • Professional Grade Quality



Coaxial Applicator FX7-38

Art.No.: 901109

- Heavy duty construction
- Strong catch plate
- Rubber-coated handle
- Trigger ratio 22:1

For coaxial cartridges up to 380ml/12.8 fl oz
Color: Black



Coaxial Applicator FX7-33 Vario

Art.No.: 783148

- Robust tool with rubberized handle
- Sturdy catch plate
- Exchangeable push plates
- Trigger ratio 17:1

For coaxial cartridges up to 330ml/10.8 fl oz
Mixing ratios 1:1 and 10:1
Color: Black/Turquoise



Dual Component Applicator FX7-21DP

Art.No.: 900093

- Very sturdy construction
- Strong non-slipping catch plate
- Rubber-coated handle
- Trigger ratio 17:1

For dual component cartridges 2 x 110ml
2 x 3.7 fl oz
Color: Black



Dual Component Applicator FX7-40 Vario

Art.Nr.: 900097

- High density sintered thrust block
- Heat treated main pushing bar
- Rubber-coated handle
- Trigger ratio 25:1

For cartridges 330ml, 360ml und 390ml
Color: Black



Magnesium-Dual Component Applicator MAG-30 Vario

Art.No.: 900095

- Durable tool with Magnesium-Housing
- Lighter than any comparable tool
- Pioneering technology
- Exchangeable push plates for:
Mixing ratios 1:1, 3:1, 10:1
- Trigger ratio 25:1

For dual component cartridges up to 620ml/21.8 fl oz
Color: Black




Side-By-Side Applicator MAG-34S

Art.No.: 900109

- Robust Side-by-Side tool with Magnesium housing
- For high viscosity 2-Component material
- Corrosion protected drive components
- Special hardened catch plate
- Trigger ratio 25:1

For SBS-Dual-Component material up to 390ml/13.2 fl oz
and Single-Component-Cartridges 310ml/10.5 fl oz
Color: Black




Dual Component Applicator DP-50

Art.No.: 781252

- 2:1 and 1:1 mixing ratio
- Very sturdy design

For Dual component cartridges up to 50ml
Color: Black



Shortgun Art.No.: 781233

- Stable aluminium applicator for easy handling
- Compact size and light weight
- Comfort grip and brass adjusting screw

Color: Red/Silver



ERGO Art.No.: 781237

- Light-weight synthetic/aluminium foam applicator
- Metal tube and trigger
- Big adjusting screw for excellent grip
- Ergonomical, rubber-coated handle

Color: Red/Black




New strengthened body

Metal Lite Art.No.: 781236

- Stable Metal foam applicator
- Sturdy adaptor and brass adjusting screw
- Tapered extrusion tube for high stability

Color: Red



NEW

rapid trigger safety

Metal Lite-Plus Art.No.: 781198

- Solid Pro metal foam applicator
- PTFE-coated needle and can adaptor
- Large brass adjusting screw
- Integrated rapid trigger safety
- Tapered extrusion tube for high stability
- Rubber-coated handle for superior grip

Color: Red/Black

| X7-Series

Ergo X7 Art.No.: 781231

- Light-weight synthetic/aluminium foam applicator
- Metal tube and trigger
- Can adaptor with non-stick bead
- Big adjusting screw for excellent grip
- Ergonomical, soft-rubbercoated handle
- Optimized foam flow

Color: Red/Black



Guardia X7 Art.No.: 781199


- New, solid construction
- Complete stickresistant PTFE-coating
- Optimized, stronger can adaptor
- Very good foam flow
- Precise foam adjusting with endstop-function
- Rubber-coated handle and trigger
- Doming sticker (great for private label)

Color: Red/Black

Extreme X7 Art.No.: 781200

- Flexible foam applicator with swivel tube
- For special duty on hard-to-reach places
- Optimized, stronger can adaptor
- Precise dosage of foam flow
- Rubber-coated handle
- Doming sticker (great for private label)

Color: Red/Black



Stepless adjustable tube



Foam Applicators For Polyurethane Foam

Metal Lite XL Art.No.: 781239

Color: Grey/Black/Silver

- Sturdy metal foam applicator
- 24"/1.97 ft tapered tube
- Rubber coated handle
- Non-slip brass adjusting knob
- Effortless working in confined spaces
- Foaming without a ladder

New strengthened body



Scuro Evo5 Art.No.: 781256

- High-end solid metal foam applicator
- Perfect foam performance
- Special non-stick coating
- Tapered tube for great stability
- Non-stick needle and can adaptor
- Strengthened universal adaptor
- Large adjusting knob

Color: Black/Anthracite

Spare Parts for Foam Applicators

Tube Art.No.: 900086

Plastic tube for extension



Nozzle Art.No.: 781421


Plastic nozzle for foam applicators

Fine Nozzle Art.No.: 781423

Nozzle attachment for special duty
Color: Red



Accessories/Spare Parts for Hanging Shelves




Fine Nozzles

Art.No.: 712336
3pcs fine nozzles
For foam applicators



Tubes and Nozzles

Art.No.: 712332
2pcs tubes, 2pcs nozzles
For foam applicators



Tube Nozzles

Art.No.: 712333
3pcs tube nozzles
For barrel applicators



Push Plate Pro

Art.No.: 712335
1pc push plate with piston
For FX7-, eXcePt-Series




Push Plate X7

Art.No.: 712337
2pcs push plates
For X7-Series




Push Plate HPS

Art.No.: 712338
2pcs push plates
For HPS-series



Screw Cap Pro Front

Art.No.: 712340
1pc screw cap (coarse thread), front
For FX7-, eXcePt-Series



Screw Cap Nylon

Art.No.: 712334
1pc screw cap Nylon
For X7-Series



Screw Cap Aluminium HPS

Art.No.: 712339
1pc screw cap Aluminium
For HPS-series




Lithium-Ion Battery Caulking Applicator Powerjet-Series

Powerjet-Li 310, 7,2V

Art.No.: 786725

- Automatic non-drip function
- Stepless adjustable forward speed
- Rotary carriage
- Rubber-coated grip and trigger
- Built-in LED auxiliary light

For cartridges 310ml/10.5 fl oz
Color: Black/Red



Powerjet-Li 400, 7,2V

Art.No.: 786724

- Automatic non-drip function
- Stepless adjustable forward speed
- Rotary aluminium barrel
- Rubber-coated grip and trigger
- Built-in LED auxiliary light

For cartridges 310ml/10.5 fl oz,
sausages 400ml/11.6 fl oz
Color: Black/Red




Powerjet-Li 600, 7,2V

Art.No.: 786723

- Automatic non-drip function
- Stepless adjustable forward speed
- Rotary aluminium barrel
- Rubber-coated grip and trigger
- Built-in LED auxiliary light

For cartridges 310ml/10.5 fl oz,
sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz
Color: Black/Red



Powerjet-Li 380 KX, 7,2V

Art.No.: 786722

- Automatic non-drip function
- Stepless adjustable forward speed
- Rubber-coated grip and trigger
- Built-in LED auxiliary light

For Coaxial Cartridges up to 400ml/13.5 fl oz
for dual component material
Color: Black/Red




Powerjet-Li 360 SBS, 7,2V

Art.No.: 786727

- Automatic non-drip function
- Stepless adjustable forward speed
- Rubber-coated grip and trigger
- Built-in LED auxiliary light

For Side-by-Side cartridges up to 360ml/12.1 fl oz (10:1)
Color: Black/Red



Technical Details:

- Lithium-Ion-Battery 7.2V / 1.3Ah
- Fully-charged battery for approx. 30 cartridges or 20 sausages (depending on the material and/or temperature)
- Loading time approx. 1h
- Feed speed up to 6.9mm/0.27in/second
- Extrusion pressure max. 450kg/992lb

Scope of Delivery:

- 1pc Battery gun
- 1pc Lithium-ion-battery 7.2V
- 1pc Blow case
- 1pc Quick charger
- 1pc Operating instruction
- 3pcs tube nozzles Pro (for barrel types)



Spare parts for Powerjet-Series

Spare Battery Art.No.: 786726
7.2V Lithium-Ion-Battery



Quick Charger
Art.No.: 786711



Pneumatic Caulking Applicators

Pneumatic Applicator KB400

Art.No.: 90015

- Anodized aluminium tube
- Optimized centre of gravity axis
- Working pressure 6-10 bar
- Minimal air consumption
- Easy pressure regulation and excellent dosage adjustment
- Including remodeling kit

For cartridges 310ml/10.5 fl oz,
sausages 400ml/11.6 fl oz
Color: Black



Pneumatic Applicator KB600

Art.No.: 90023

- Anodized aluminium tube
- Optimized centre of gravity axis
- Working pressure 6-10 bar
- Minimal air consumption
- Easy pressure regulation and excellent dosage adjustment
- Including remodeling kit

For cartridges and sausages up to
600ml/20.2 fl oz
Color: Black



Mortar Caulking Applicator

Mortar Caulking Applicator X7-1000

Art.No.: 901116

- Heavy construction tool
- Wide chatch plate
- Metal screw connection with handle
- Rubber-coated handle and trigger
- Ladder hook
- Retaining clip secures tube
- Volume approx.1000ml/33.8 fl oz

Now with
Metal Shovel



- Mortar Caulking Applicator X7-1000 is developed for clean and easy processing of mortar or joint sealer
- High stability and durability are guaranteed due to perfect fillings
- Precise application avoids dirty edges
- Possible usage at dry/ building construction, fire protection, etc.

Spare Parts for Mortar Applicator



Presentation Shelves



Display shelves
tailored to customer
requirements



IRION is a globally operating company, which was founded in 1995.

IRION has several branches in Europe, Asia and Northern America and an own production site next to Shanghai.

IRION is global market leader in manufacturing and distributing foam- and caulking applicators and especially famous for its high quality products and continuous development.

IRION's product range includes hand-, pneumatic- and battery tools, which are manufactured for ambitious craftsmen and pros.

IRION uses only high-performance substances paired with most modern technology.

IRION stands up for green production and outstanding working conditions.

IRION is specialized in creating private label tools and associated packing.

IRION secures its technology by patenting inventions and know how. Several test reports, like ISO9001 and TÜV-Rheinland certificates, reinforce the leading position of IRION.

IRION also offers technical sales trainings at customers place to support product launch.





Irion Vertriebs GmbH



Frohnradstrasse 17 | D-63768 Hösbach

Fon +49 (0) 6021 583 635-0 | Fax +49 (0) 6021 583 635-20
irion@irion-gun.de | **www.irion-gunshop.de**